



# Computer

By Mary L Devendorf

- (1) 5¼" x 1½" Background Fabric
- (1) 2⅞" x 12½" Background Fabric
- (1) 5¼" x 12½" Background Fabric

- (1) 5¼" x 1" Dark Gray Fabric

- (2) 1¼" x 1½" Light Gray Fabric
- (1) 2¼" x 1½" Light Gray Fabric
- (1) 5¼" x 3¾" Light Gray Fabric
- (1) 5¼" x 2¾" Light Gray Fabric
- (1) 5¼" x 1¼" Light Gray Fabric
- (1) 5¼" x 2" Light Gray Fabric

- (1) 5¼" x 1" Medium Gray Fabric
- (2) 2½" x 1¼" Medium Gray Fabric
- (2) ⅞" x 2" Medium Gray Fabric


- (2) 1¼" x 1½" Black Fabric
- (1) 4½" x 2" Black Fabric

- (1) 1¼" x 1¼" Bright Color

All seam allowances should be a scant ¼".  
Adjust seam allowances if necessary.


1. Sew 1¼" x 1½" Black rectangle to 1¼" x 1½" Light Gray rectangle. Repeat one time. Press seams toward Light Gray rectangle. Sew a 2¼" x 1½" Light Gray Fabric between the two pieced rectangles. Press seams toward Light Gray rectangle.

*When complete Unit 1 should measure 5¼" x 1½".*




2. Sew a (1) 5¼" x 1" Dark Gray rectangle to the lower edge of Unit 1. Press seam toward lower edge.

*When complete Unit 2 should measure 5¼" x 2".*



- Sew a  $5\frac{1}{4}$ " x 1" Medium Gray rectangle to upper edge of Unit 2.  
Press seam toward upper edge.


*When complete Unit 3 should measure  $5\frac{1}{4}$ " x  $2\frac{1}{2}$ ".*



UNIT 3

- Sew a  $5\frac{1}{4}$ " x  $3\frac{3}{4}$ " Light Gray rectangle to upper edge of Unit 3.  
Press seam toward upper edge.


*When complete Unit 4 should measure  $5\frac{1}{4}$ " x  $5\frac{3}{4}$ ".*



UNIT 4

- Sew  $1\frac{1}{4}$ " x  $1\frac{1}{4}$ " Bright Color rectangle between (2)  $2\frac{1}{2}$ " x  $1\frac{1}{4}$ " Medium Gray rectangles.  
Press seams toward outside.


*When complete Unit 5 should measure  $5\frac{1}{4}$ " x  $1\frac{1}{4}$ ".*



UNIT 5

- Sew Unit 5 to upper edge of Unit 6.  
Press seam toward Light Gray rectangle.


*When complete Unit 6 should measure  $5\frac{1}{4}$ " x  $6\frac{1}{2}$ ".*



UNIT 6

8. Sew a  $5\frac{1}{4}$ " x  $2\frac{3}{4}$ " Light Gray rectangle to upper edge of Unit 6. Press seam toward outside.


*When complete, Unit 7 should measure  $5\frac{1}{4}$ " x  $8\frac{3}{4}$ ".*



UNIT 7

9. Sew a  $4\frac{1}{2}$ " x 2" Black rectangle between (2)  $\frac{7}{8}$ " x 2" Medium Gray rectangles. Press seams toward inside. Rotary cut two strips, each  $5\frac{1}{4}$ " x  $\frac{3}{4}$ ".

*When complete, each Unit 8 should measure  $5\frac{1}{4}$ " x  $\frac{3}{4}$ ".*




10. Sew a  $5\frac{1}{4}$ " x  $1\frac{1}{4}$ " Light Gray rectangle between each Unit 8. Press seams toward inside.

*When complete, Unit 9 should measure  $5\frac{1}{4}$ " x  $1\frac{3}{4}$ ".*



11. Sew Unit 9 to upper edge of Unit 7.  
Press seam toward inside.


*When complete Unit 10 should measure 5¼" x 10".*



UNIT 10

12. Sew a 5¼" x 2" Light Gray rectangle to lower edge of a 5¼" x 1½" Background rectangle.  
Press seam toward Light Gray rectangle.


*When complete, Printer Block should measure 5¼" x 3".*



UNIT 11

13. Sew Unit 11 to upper edge of Unit 10.  
Press seam toward Light Gray rectangle.


*When complete Unit 12 should measure 5¼" x 12½".*



UNIT 12

14. Sew 2⅞" x 12½" Background rectangle to left side of Unit 12.  
Press seam toward Background rectangle.



*When complete Unit 12 should measure 7¾" x 12½".*



UNIT 13

15. Sew  $5\frac{1}{4}$ " x  $12\frac{1}{2}$ " Background rectangle to right side of Unit 13.  
Press seam toward Background rectangle.

*When complete Unit 14 should measure  $12\frac{1}{2}$ " x  $12\frac{1}{2}$ ".*



UNIT 14